

Add small new decal to add to existing decals



Standard building decal



Building decal - with lactation room symbol



Building decal - with shower symbol



Building decal - with lactation room and shower symbol

SIGN SPECIFICATIONS

Sign Material:
"Window cling" vinyl

Sign Colors:
White: 3M Scotchlite White Vinyl
Gold: Match PMS 617C
Dark Green: Match PMS 357

NOTES:

1. CSU Facilities Management Environmental Graphic Designer to provide EPS artwork files for fabrication.
2. Contractor to provide shop drawings of all signs for review and approval by CSU Facilities Management Environmental Graphic Designer prior to fabrication.

Location Notes:

1. New decals: Decals to be placed on the exterior of the door.
2. New decals: Ideal location is on the door. Decals can be placed on an adjacent window to the door if location there is more optimal.
3. New decals: The recommended mounting height is to have the top of the decal 6'-0" above grade, ideally to be within a standard line of vision for most people.
4. New decals: If other decals located on door, try to align with existing signs (vertically or horizontally, keeping 6'-0" optimal height in mind).
5. New decals: Do not place below the door handle wherever feasible.
6. Existing decals: Locate the additional small decal immediately above the existing decals, touching if feasible.
7. Existing decals: If the existing decal is mounted BELOW the door handle, try to locate the additional small decal above the door handle (which may mean the decals do not touch). Placing below means it is not readable to most people.



Building decal - with NO service dog
(for buildings whose function involves animals such as DMC, Flint Animal Cancer Center)



Building decal - with NO service dog WITH lactation room symbol
(for buildings whose function involves animals such as VTH)




Building decal - without skateboard/rollerblade
(for more "rural" buildings/ areas such as Mountain Campus, Extension offices, and Ag Research Centers)




Building decal - without skateboard/rollerblade WITH lactation symbol
(such as Arkansas Valley Ag Research Center)



Custom building decal
(For Industrial Sciences building and Military Sciences Building, which have narrow windows on main entry doors)



Building decal - No smoking info only
(for State property such as Colorado State Forest Service offices/buildings)



Typical "No Smoking" decal: Standards for all buildings except HDS buildings



FACILITIES MANAGEMENT



New standard “No Smoking” decal
(This is the new CSU no smoking standard decal on all non-HDS buildings on campus)



New HDS standard “No Smoking” decal
(This applies to certain HDS buildings such as residence halls because of their separate animal policy)



New HDS standard “No Smoking” WITH lactation room symbol decal
(This applies to certain HDS buildings such as residence halls because of their separate animal policy; buildings include a lactation room)

SIGN SPECIFICATIONS

Sign Material:
 “Window cling” vinyl

Sign Colors:
 White: 3M Scotchlite White Vinyl
 Gold: Match PMS 617C
 Dark Green: Match PMS 357

NOTES:

1. CSU Facilities Management Environmental Graphic Designer to provide EPS artwork files for fabrication.
2. Contractor to provide shop drawings of all signs for review and approval by CSU Facilities Management Environmental Graphic Designer prior to fabrication.

Location Notes:

1. Decals to be placed on the exterior of the door.
2. Ideal location is on the door. Decals can be placed on an adjacent window to the door if location there is more optimal.
3. The recommended mounting height is to have the top of the decal 5’-0” maximum above grade, ideally to be within a standard line of vision for most people.
4. If other decals located on door, try to align with existing signs (vertically or horizontally, keeping 6’-0” optimal height in mind).
5. Do not place below the door handle wherever feasible. If existing decals prohibit the ideal 5’-0” optimal height, place ABOVE 5’-0” rather than below handle door.

