

NOTES:

Braille graphics are for illustrative purposes only. All Braille text should be verified before fabrication.

Restrooms with an adult changing table and/or “no automatic hand dryers/loud noises” shall have separate signs for each of those messages. See following pages for those sign standards.



All Gender Restroom Sign



All Gender ADA-Accessible Restroom Sign



All Gender Restroom with Changing Table Sign



All Gender ADA-Accessible Restroom with Shower Sign



All Gender ADA-Accessible Restroom with Changing Table Sign



All Gender ADA-Accessible Restroom with Changing Table and Shower Sign




All Gender ADA-Accessible Restroom with Shower Sign

CSU Interior Signage Standards: www.fm.colostate.edu/signage

Not to scale



CSU standard symbol for general and all gender restrooms. This symbol should be used to direct people to all restrooms instead of the “binary” combined women and men’s symbols.



The individual “binary” women and men’s symbols are allowed to designate the respective restrooms.



CSU standard symbol to designate restrooms with a changing table (“family” restrooms).



“Binary” combined women and men’s symbols not allowed to direct people to restrooms.



This symbol is not allowed to direct people to restrooms nor to designate all gender restrooms/facilities.



This symbol is not allowed to direct people to restrooms nor to designate all gender restrooms/facilities.



This symbol is not allowed to designate restrooms with a changing table (“family” restrooms).

CSU Interior Signage Standards: www.fm.colostate.edu/signage



SIGN SPECIFICATIONS

Sign Material: and Colors
 Acrylic, 1/16" to match Matthews Acrylic Paint "Dark Bronze." Non-glare per ADA.
 Pictograms and Text: Raised white. Non-glare per ADA.

Fonts:
 Proxima Nova.

NOTES:

1. CSU Environmental graphic designer to provide EPS files for fabrication.
2. Contractor to provide shop drawings of all signs for review and approval by CSU Facilities Management Environmental Graphic Designer prior to fabrication and installation.
3. Braille graphics are for illustrative purposes only. Actual Braille to be composed by signage fabricator. All Braille text should be verified before fabrication.
4. Signage material, colors, and fonts may match existing or proposed interior signage system (as long as font meets ADA compliance). However, all symbols and wordings must follow this standard. Final design must be pre-approved by the CSU Inclusive Physical & Virtual Campus Committee before fabrication and installation.
5. Any deviations from these standards must be in accordance with the current Standards for Accessible Design per the American with Disabilities Act (ADA).
6. Sign location: Braille shall be 60 inches maximum above the floor, measured to the baseline of the braille cells.
7. Installation varies per building and wall finish. Some walls will require fasteners instead of adhesive. Any fastener should not impede sign content. Paint fastener to match sign background.

CSU Interior Signage Standards: www.fm.colostate.edu/signage

