

SIGN SPECIFICATIONS

Sign Material:
A.1 Aluminum, 0.080"

Sign Colors:


- B.1 Matthews Acrylic Polyurethane Paint Green to Match PMS 357 (Not used)
- B.2 Matthews Acrylic Polyurethane Paint Gold to Match PMS 617C (Not used)
- B.3 Matthews Acrylic Polyurethane Paint Black (Not used)
- B.4 Matthews Acrylic Polyurethane Paint Dark Bronze
- B.5 3M Scotchlite #280-010 White Reflective Vinyl
- B.6 3M Scotchlite #280-71/#280-81 Yellow Reflective Vinyl
- B.7 3M Scotchlite #5100-79 Reflective Brown Vinyl (Not used)
- B.8 3M Scotchlite #220-56 Dark Green Vinyl


Font: Minion Pro Semibold unless otherwise specified

NOTES:

1. CSU Environmental graphic designer to provide EPS files for fabrication.
2. Contractor to provide shop drawings of all signs for review and approval by CSU Facilities Management Environmental Graphic Designer prior to fabrication.
3. Ensure all fasteners/mounting devices do not impede messages.
4. Apply anti-graffiti coating to all signs.
5. Contractor responsible for locating all utilities before installation.

CSU Exterior Signage Standards: www.fm.colostate.edu/signage





- SIGN SPECIFICATIONS**
- Sign Material:
A.1 Aluminum, 0.080"
- Sign Colors:
- B.1 Matthews Acrylic Polyurethane Paint Green to Match PMS 357 (Not used)
 - B.2 Matthews Acrylic Polyurethane Paint Gold to Match PMS 617C (Not used)
 - B.3 Matthews Acrylic Polyurethane Paint Black (Not used)
 - B.4 Matthews Acrylic Polyurethane Paint Dark Bronze
 - B.5 3M Scotchlite #280-010 White Reflective Vinyl
 - B.6 3M Scotchlite #280-71/#280-81 Yellow Reflective Vinyl
 - B.7 3M Scotchlite #5100-79 Reflective Brown Vinyl (Not used)
 - B.8 3M Scotchlite #220-56 Dark Green Vinyl


Font: Minion Pro Semibold unless otherwise specified

- NOTES:**
1. CSU Environmental graphic designer to provide EPS files for fabrication.
 2. Contractor to provide shop drawings of all signs for review and approval by CSU Facilities Management Environmental Graphic Designer prior to fabrication.
 3. Ensure all fasteners/mounting devices do not impede messages.
 4. Apply anti-graffiti coating to all signs.
 5. Contractor responsible for locating all utilities before installation.


FRONT ELEVATION / SECTION
(Can be single-sided or double-sided)

SIDE ELEVATION

CSU Exterior Signage Standards: www.fm.colostate.edu/signage



Typical building address sign (For building name with 2 lines of text)



ELEVATION / SECTION

SIGN SPECIFICATIONS

Sign Material:
A.1 Aluminum, 0.080"

Sign Colors:

- B.1 Matthews Acrylic Polyurethane Paint Green to Match PMS 357 (Not used)
- B.2 Matthews Acrylic Polyurethane Paint Gold to Match PMS 617C (Not used)
- B.3 Matthews Acrylic Polyurethane Paint Black (Not used)
- B.4 Matthews Acrylic Polyurethane Paint Dark Bronze (Not used)
- B.5 3M Scotchlite #280-010 White Reflective Vinyl
- B.6 3M Scotchlite #280-71/#280-81 Yellow Reflective Vinyl (Not used)
- B.7 3M Scotchlite #5100-79 Reflective Brown Vinyl (Not used)
- B.8 3M Scotchlite #220-56 Dark Green Vinyl

Font: Minion Pro Semibold unless otherwise specified

NOTES:

1. CSU Environmental graphic designer to provide EPS files for fabrication.
2. Contractor to provide shop drawings of all signs for review and approval by CSU Facilities Management Environmental Graphic Designer prior to fabrication.
3. Ensure all fasteners/mounting devices do not impede messages.
4. Apply anti-graffiti coating to all signs.
5. Contractor responsible for locating all utilities before installation.

This type of sign to be used only on a case-by case basis, as determined by the Facilities Management Environmental Graphic Designer

CSU Exterior Signage Standards: www.fm.colostate.edu/signage

