

DESIGN NOTES:

Signs shown here are **EXAMPLE SIGNS ONLY**.

There is no one singular standard sign. Sign design will be determined by the inclusive spaces and/or restrooms within the building and if there is an elevator. At a minimum, directory signs must be provided at each building entry if the building includes all gender restroom(s), lactation room(s) and/or baby changing tables. CSU standard symbols shall be included on the sign.

Signs to be designed as magnetic, removable panels for future changes.


SIGN SPECIFICATIONS

Sign Material and Colors:
Permanent sign structure is engraved stock with magnetic coating. Individual panels are magnetic, matte black with digital print of text and arrows.


Fonts:
Proxima Nova Semibold

NOTES:

1. This signage shall be submitted to the Project Representative and requires review by the Colorado State University Building Department.
2. CSU Facilities Management Environmental Graphic Designer to provide EPS files for fabrication.
3. Contractor to provide shop drawings of all signs for review and approval by CSU Facilities Management Environmental Graphic Designer prior to fabrication and installation.
4. Install with VHB tape.



Example of interior directory sign with baby changing table, lactation room and restroom locations



Example of interior directory sign with all restroom locations



Example of interior directory sign with all inclusive spaces/elements locations

Height varies. Individual sign panels should be designed in increments of 0.5" heights. Min. 2" ht. for any individual sign panel.

CSU Interior Signage Standards:
www.fm.colostate.edu/constr_standards

