


**SIGN SPECIFICATIONS**

Sign Material and Colors:  
 Acrylic, 1/8" th. Matches Rowmark "Dark Brown" 321-803  
 See notes for information about different colors, materials  
 and fonts. Matte surface.  
 Pictograms and Text: White. Raised where required.

Fonts:  
 Proxima Nova.

**NOTES:**

1. CSU Facilities Management Environmental Graphic Designer to provide EPS files for fabrication.
2. Contractor to provide shop drawings of all signs for review and approval by CSU Facilities Management Environmental Graphic Designer prior to fabrication and installation.
3. Both signs are required. Signs shall not be combined as the website information listed on the smaller sign may need to be changed in the future. Signs to be located on outside of room.
4. Braille graphics are for illustrative purposes only. Actual Braille to be composed by signage fabricator. All Braille text should be verified before fabrication.
5. Signage material, colors, and fonts may match existing or proposed interior signage system as long as these are in accordance with current OSA Adopted Codes and Standards for Accessible Design per the Americans with Disabilities Act (ADA). However, all symbols and wordings must follow this standard.
6. Any deviations from these standards must be in accordance with the current OSA Adopted Codes and Standards for Accessible Design per the ADA.
7. Signs shall be located to meet current OSA Adopted Codes and Standards for Accessible Design per the ADA.
8. Installation varies per building and wall finish. Some walls will require fasteners instead of adhesive. Any fastener should not impede sign content. Paint fastener to match sign background.



CSU Interior Signage Standards:  
[www.fm.colostate.edu/constr\\_standards](http://www.fm.colostate.edu/constr_standards)

