



### SIGN SPECIFICATIONS

Sign Material and Colors:

Acrylic, 1/8" th. Matches Rowmark "Dark Brown" 321-803 See notes for information about different colors, materials and fonts. Matte surface.

Pictograms and Text: White. Raised where required.

Fonts:

Proxima Nova

### NOTES:

1. CSU Facilities Management Environmental Graphic Designer to provide EPS files for fabrication.
2. Contractor to provide shop drawings of all signs for review and approval by CSU Facilities Management Environmental Graphic Designer prior to fabrication and installation.
3. Braille graphics are for illustrative purposes only. Actual Braille to be composed by signage fabricator. All Braille text should be verified before fabrication.
4. Signage material, colors, and fonts may match existing or proposed interior signage system as long as these are in accordance with current OSA Adopted Codes and Standards for Accessible Design per the Americans with Disabilities Act (ADA). However, all symbols and wordings must follow this standard.
5. Any deviations from these standards must be in accordance with the current OSA Adopted Codes and Standards for Accessible Design per the ADA.
6. Signs shall be located to meet current OSA Adopted Codes and Standards for Accessible Design per the ADA.
7. Installation varies per building and wall finish. Some walls will require fasteners instead of adhesive. Any fastener should not impede sign content. Paint fastener to match sign background.

### NOTES:

There are separate sign standards for restrooms with:

- "No automatic hand dryers/loud noises"
- Baby changing tables
- Adult changing tables



CSU Interior Signage Standards:

[www.fm.colostate.edu/constr\\_standards](http://www.fm.colostate.edu/constr_standards)