

**NOTES:**

Braille graphics are for illustrative purposes only. All Braille text should be verified before fabrication.

Restrooms with “no automatic hand dryers/loud noises” shall have a separate sign standard for that message.



All Gender Restroom Sign



All Gender ADA-Accessible Restroom Sign



All Gender Restroom with Changing Table Sign



All Gender ADA-Accessible Restroom with Shower Sign



All Gender ADA-Accessible Restroom with Changing Table Sign



All Gender ADA-Accessible Restroom with Changing Table and Shower Sign



All Gender ADA-Accessible Restroom with Shower Sign




All Gender ADA-Accessible Restroom with Adult Changing Table Sign

CSU Interior Signage Standards:  
[www.fm.colostate.edu/constr\\_standards](http://www.fm.colostate.edu/constr_standards)

Not to scale



CSU standard symbol for general and all gender restrooms. This symbol should be used to direct people to all restrooms instead of the “binary” combined women and men’s symbols.



The individual “binary” women and men’s symbols are allowed to designate the respective restrooms.



CSU standard symbol to designate restrooms with a changing table (“family” restrooms).



CSU standard symbol to designate an adult changing table



“Binary” combined women and men’s symbols not allowed to direct people to restrooms.



This symbol is not allowed to direct people to restrooms nor to designate all gender restrooms/facilities.



This symbol is not allowed to direct people to restrooms nor to designate all gender restrooms/facilities.



This symbol is not allowed to designate restrooms with a changing table (“family” restrooms).  
CSU Interior Signage Standards:  
[www.fm.colostate.edu/constr\\_standards](http://www.fm.colostate.edu/constr_standards)



- SIGN SPECIFICATIONS**
- Sign Material and Colors:  
 Acrylic, 1/16" Rowmark "Dark Brown" 321-803  
 (Matches Matthews Acrylic Paint "Dark Bronze")  
 Matte surface.  
 Pictograms and Text: Raised white.
- Fonts:  
 Proxima Nova.
- NOTES:
1. CSU Facilities Management Environmental Graphic Designer to provide EPS files for fabrication.
  2. Contractor to provide shop drawings of all signs for review and approval by CSU Facilities Management Environmental Graphic Designer prior to fabrication and installation.
  3. Braille graphics are for illustrative purposes only. Actual Braille to be composed by signage fabricator. All Braille text should be verified before fabrication.
  4. Signage material, colors, and fonts may match existing or proposed interior signage system as long as these are in accordance with current OSA Adopted Codes and Standards for Accessible Design per the Americans with Disabilities Act (ADA). However, all symbols and wordings must follow this standard.
  5. Any deviations from these standards must be in accordance with the current OSA Adopted Codes and Standards for Accessible Design per the ADA.
  6. Signs shall be located to meet current OSA Adopted Codes and Standards for Accessible Design per the ADA.
  7. Installation varies per building and wall finish. Some walls will require fasteners instead of adhesive. Any fastener should not impede sign content. Paint fastener to match sign background.

CSU Interior Signage Standards:  
[www.fm.colostate.edu/constr\\_standards](http://www.fm.colostate.edu/constr_standards)

